	Impact of The Fe	eed-in Tariffs (Amendment) (Co	ronavirus) Order 2020 on project	s whose preliminary accreditation cea	ases to be valid between 30 March 202	0 and 30 September 2020
Wind and AD	Original deadline for		Original latest expiry of	Original latest expiry of preliminary	CV-19 Order latest expiry of preliminary	
	prospective wind and AD		preliminary accreditation for wind	accreditation for community owned	accreditation for community owned wind	
	generator's application for		and AD installations (not	wind and AD installations - 18 months	and AD installations whose preliminary	
	preliminary accreditation to be		community owned) - 1 year from	from application. Art 9(8A)(b)	accreditation ceases to be valid during	
	received by the Authority		application. Art 9(8)(b)		the period of 1 March 2020 to 30	
	(community owned and not			CV-19 Order latest expiry of	September 2020 - later of 24 months	
	community owned). Art 9(1)(b)			preliminary accreditation for wind and	from application or 30 September 2020.	
					Art 9(8AA)(b).	
				owned) whose preliminary		
				accreditation ceases to be valid during		
				the period of 1 March 2020 to 30		
				September 2020 - later of 18 months		
				from application or 30 September		
				2020. Art 9(8ZA)(a)		
Solar PV	-			CV-19 Order latest expiry of		
				preliminary accreditation for		
	• • • • • • • • • • • • • • • • • • • •	,		community owned solar PV		
		,		installations whose preliminary		
	,	from application. Art 9(8)(a)		accreditation ceases to be valid during		
	community owned and not			the period of 1 March 2020 to 30		
	community owned). Art 9(1)(b)			September 2020 - later of 18 months		
				from application or 30 September		
				2020. Art 9(8AA)(a)		
Hydro	Original deadline for		<u> </u>		Original latest expiry of preliminary	Original latest expiry of preliminary
•	prospective hydro generator's				accreditation for hydro installation (not	accreditation for community owned
	application for preliminary				community owned) - 2 years from	hydro installations - 30 months from
	accreditation to be received by				, ,	application. Art 9(8A)(c)
	the Authority (community					
	owned and not community				CV-19 Order latest expiry of preliminary	
	owned). Art 9(1)(b)				accreditation for community owned	
					hydro installations whose preliminary	
					accreditation ceases to be valid during	
					the period of 1 March 2020 to 30	
					September 2020 e.g. with an application	
					date of March 2018) - later of 36	
					months from application or 30	
					September 2020. Art 9(8AA)(c)	
					CV-19 Order latest expiry of preliminary	
					accreditation for hydro installation (not	
					community owned) whose preliminary	
					accreditation ceases to be valid during	
					the period of 1 March 2020 to 30	
					September 2020 e.g. with an application	
					date of September 2018) later of 30	
					months from application or 30	
					September 2020. Art 9(8ZA)(b).	
					,	
Timeline (six						
month intervals)	31.03.19	30.09.19	31.03.20	30.09.20	31.03.21	30.09.21